HP ProLiant DL385p Gen8 Server



Future-proof your infrastructure with enhanced configuration flexibility



Performance and flexibility that mean business

The cloud era is driving an insatiable demand for applications, data, and digital content. IT organizations, regardless of their immersion in cloud technologies, need to plan for virtualization, database, and high-performance workloads while ensuring the fastest possible ROI. They need to invest in technology that will help them adapt to changing environments, offer configuration flexibility, reduce downtime, and future-proof their infrastructure.

The all-new HP ProLiant DL385p Gen8 is specifically designed to meet these new and emerging realities, whether for small and medium-sized businesses or large enterprise data centers. Now available with the AMD Opteron 6000 Series processor, the DL385p Gen8 delivers a major boost in price/performance. The DL385p Gen8 offers extreme configuration flexibility, while delivering extraordinary compute power, and market-leading efficiency. It is ideal for customers across a broad range of computing environments, including customers with virtualization, database, and high-performance computing workloads.

The HP ProLiant DL385p Gen8 server is purpose-built to:

- **Redefine the customer experience** through user-inspired design features, lifecycle automation, and workload optimization
- **Deliver peace of mind** with enhanced reliability, quick serviceability, and industry-leading manageability
- **Deliver performance and efficiency** for a leading return on investment
- Enhance configuration flexibility to future-proof your infrastructure



Performance that matters with the freedom of flexibility HP ProLiant DL385p Gen8 Demo

What's new

The HP ProLiant DL385p Gen8 Server is built to protect your investment and extend server life with reliability, accessibility, and serviceability features designed in. New features include:

- Up to two AMD Opteron 6300 Series Processors: provides greater performance for high-performance computing and 2X the cores for more virtual machines per box for better virtualization.
- **50 percent more memory capacity over the previous generation:** larger 32 GB DIMMs and improved performance with up to 1,600 MHz memory speeds.
- More I/O throughput: up to six available PCI-Express expansion slots with risers supporting x16, x8, and x4 solutions.
- New HP Smart Array P420i (with FBWC): combines with the new HP SmartDrive carrier design to offer intuitive status conditions, better protection, improved performance, capacity, manageability, and reduced downtime.
- New HP iLO Management Engine (iLO 4): provides a lifecycle approach to managing your server, from initial deployment, to daily management, service alerting, and remote support.
- HP FlexibleLOM technologies: offer you a choice in networking with 1 or 10 Gb NICs, CNA, SFP+, FCoE or InfiniBand, at purchase or in the future.
- Improved serviceability: redesigned baffle, fan cage, cabling solution, and riser assembly.

Key features and benefits

Redefining the customer experience

- User-inspired design features that anticipate your needs and virtually eliminate common issues that result in downtime.
 HP SmartDrive carriers, "Snap and Go" rails, and easy tool-less access to all customer-serviceable components enhance user experience.
- Integrated Lifecycle Automation, an industry first, provides intelligent, embedded provisioning tools.

- The HP Active Health System provides 24x7 continuous health monitoring, 100% configuration change logging, and faster problem analysis and resolution with HP Service and Support. Start problem analysis 5X faster using unified diagnostic tools with secure data transfer to HP Service and Support.
- Dynamic Workload Acceleration delivers smarter data protection for rapidly increasing drive capacities. Real-time workload-aware analysis optimizes and adapts storage performance and provides 6X faster solid state performance vs. previous generation.

Flexible, configurable design for return on investment

- Unmatched performance, quality, and manageability with HP SmartMemory, support for RDIMM, UDIMM and LRDIMM with speeds up to 1600 MHz and capacities up to 768 GB.
- Increased storage capacity, performance, and protection with the new embedded Smart Array P420i RAID controller, with up to 2 GB of HP Flash Backed Write Cache. HP SmartDrive and the enhanced flexibility of multiple drive cage offerings (8, 8+8, and 25 SFF; or 8 LFF or 12 LFF cages) to meet your specific workload needs.
- HP FlexibleLOM allows you to customize server networking now while giving you the flexibility to meet future needs without having to overhaul hardware. Choose the bandwidth (1G and 10G) and fabric (Ethernet, FCoE, InfiniBand) that suit your needs.
 Wake-on-LAN (WOL) support and a shared iLO port for ease of use.

Performance, efficiency, and easy access

- The AMD Opteron 6300 Series processor is the world's first and only 16-core x86 server processor with the highest core density. The result is incredible scalability for handling multi-threaded workloads such as cloud computing, virtualization, high-performance computing and databases.
- Boost efficiency with the industry's first 3D array of temperature sensors that help precisely control server fans to direct cooling where it's needed most, reducing unnecessary fan power.
- High efficiency HP Common Slot Platinum Plus (94% efficiency) power supplies combined with automated power provisioning.
- ENERGY STAR[®] qualified server configurations demonstrate HP's ongoing commitment to helping customers conserve energy and save money.
- Easier assembly and access with universal tool-free sliding rails, quick release levers, and streamlined cabling solution.

HP ProLiant DL385p Gen8 Server specifications

1.5	-	
		10 0 IS

Dive description Chick between: - SPF SERVICESO - SPF SERVICESO			
- in top bug SFP 2.5 indis SAX/SATA/SSD Processor cache 16 MB (2x8 MB) L3 Processor cache 16 MB (2x8 MB) L3 Processor family AMD Opteron 6300 series Available processor - MAD Opteron 5380 SE 2.6 GHz/16-core/16 MB/15 W) processor - AMD Opteron 5380 SE 2.6 GHz/16-core/16 MB/15 W) processor - AMD Opteron 5380 SE 2.6 GHz/16-core/16 MB/15 W) processor - AMD Opteron 5380 SE 2.6 GHz/16-core/16 MB/15 W) processor - AMD Opteron 5380 SE 2.6 GHz/16-core/16 MB/15 W) processor - AMD Opteron 5380 SE 2.6 GHz/16-core/16 MB/15 W) processor - AMD Opteron 5380 SE 2.6 GHz/16-core/16 MB/15 W) processor - AMD Opteron 5380 SE 2.6 GHz/16-core/16 MB/15 W) processor - AMD Opteron 5380 SE 2.6 GHz/16-core/16 MB/15 W) processor - AMD Opteron 5380 SE 2.6 GHz/16-core/16 MB/15 W) processor - AMD Opteron 5380 SE 2.6 GHz/16-core/16 MB/15 W) processor - AMD Opteron 5380 SE 2.6 GHz/16-core/16 MB/15 W) processor - AMD Opteron 5380 SE 2.6 GHz/16-core/16 MB/15 W) processor - AMD Opteron 5380 SE 2.6 GHz/16-core/16 MB/15 W) processor - AMD Opteron 5380 SE 2.6 GHz/16-core/16 MB/15 W) processor - AMD Opteron 5380 SE 2.6 GHz/16-core/16 MB/15 W) processor - AMD Opteron 5380 SE 2.6 GHz/16-core/16 MB/15 W) processor - AMD Opteron 5380 SE 2.6 GHz/16-core/16 MB/15 W) processor - AMD Opteron 5380 SE 2.6 GHZ/16-core/16 MB/15 W) processor - AMD Opteron 5380 SE 2.6 GHZ/16-core/16 MB/15 W) processor - AMD Opteron 5380 SE 2.6 GHZ/16-core/16 MB/15 W) processor - AMD Opteron 5380 SE 2.6 GHZ/16-core/16 MB/15 W) processor - AMD Opteron 5380 SE 2.6 GHZ/16-core/16 MB/15 W) processor - AMD Opteron 5380 SE 2.6 GHZ/16-core/16 MB/15 W) processor - AMD Opteron 5380 SE 2.6 GHZ/16-core/16 MB/15 W) processor - AMD Opteron 5380 SE 2.6 GHZ/16-core/16 MB/15 W) Processor - AMD Opteron 5380 SE 2.6 GHZ/16-core/16 MB/15 W) Processor - SIG 2.6 GHZ/16-core/16 MB/15 W) Processor - SIG 2.6 GHZ/16-core/16 MB/15 W	Drive description	 8 SFF SAS/SATA/SSD 16 SFF (8, +8) SAS/SATA/SSD 25 SFF SAS/SATA/SSD 8 LFF SAS/SATA 	
Processor family AND Dyteron 6000 series Available processor 16-core processors AND Dyteron 6300 Series Available processor 16-core processors AND Dyteron 6300 Series Available processor 16-core processors AND Dyteron 6300 Series AND Dyteron 6300 Series 12-core processors AND Dyteron 6300 Series AND Dyteron 6300 Series AND Dyteron 6300 Series 12-core processors AND Dyteron 6300 Series AND Dyteron 6300 Series AND Dyteron 6300 Series 12-core processors AND Dyteron 6300 Series AND Dyteron 6300 Series AND Dyteron 6300 Series 12-core processors AND Dyteron 6300 Series AND Dyteron 6300 Series AND Dyteron 6300 Series 10-r2 Processor rounder 1 or 2 Processor rounder AND Dyteron 6300 Series Processor rounder 1 or 2 Processor rounder AND Dyteron 6300 Series Processor rounder 1 or 2 Processor rounder AND Dyteron 6300 Series Processor rounder 1 or 2 Processor rounder AND Dyteron 6300 Series Processor rounder Advanced ECC Ontine spare Advanced ECC	Supported drives	 Hot plug SFF 2.5 inch SAS/SATA/SSD 	
Available processor 16-cree processor - AMD Opteron 5380 55 (2.8 GHz/16-core/16 MB/115 W) processor - AMD Opteron 5348 (2.8 GHz/12-core/16 MB/115 W) processor - AMD Opteron 5378 (2.4 GHz/16-core/16 MB/115 W) processor - AMD Opteron 5378 (2.4 GHz/12-core/16 MB/115 W) processor - AMD Opteron 5378 (2.4 GHz/16-core/16 MB/15 W) processor - AMD Opteron 5328 (2.3 GHz/12-core/16 MB/115 W) processor - AMD Opteron 5378 (2.4 GHz/16-core/16 MB/15 W) processor - AMD Opteron 5328 (2.3 GHz/12-core/16 MB/115 W) processor - AMD Opteron 5328 (2.3 GHz/16-core/16 MB/15 W) processor - AMD Opteron 5328 (2.3 GHz/12-core/16 MB/115 W) processor - AMD Opteron 5328 (2.3 GHz/16-core/16 MB/15 W) processor - AMD Opteron 5328 (2.3 GHz/12-core/16 MB/115 W) processor - AMD Opteron 5328 (2.3 GHz/16-core/16 MB/15 W) processor - AMD Opteron 5328 (2.3 GHz/14-core/16 MB/115 W) processor - AMD Opteron 5328 (2.3 GHz/14-core/16 MB/15 W) processor - AMD Opteron 5328 (2.3 GHz/14-core/16 MB/115 W) processor - AMD Opteron 538 (2.3 GHz/14-core/16 MB/15 W) processor - AMD Opteron 538 (2.3 GHz/14-core/16 MB/15 W) processor - AMD Opteron 538 (2.3 GHz/14-core/16 MB/15 W) processor - AMD Opteron 538 (2.3 GHz/14-core/16 MB/15 W) processor - AMD Opteron 538 (2.3 GHz/14-core/16 MB/15 W) processor - AMD Opteron 538 (2.3 GHz/14-core/16 MB/15 W) processor - AMD Opteron 538 (2.5 GHz/14-core/16 MB/15 W) processor - AMD Opteron 538 (2.5 GHz/14-core/16 MB/15 W) proces	Processor cache	16 MB (2x8 MB) L3	
AND Opteron 5338 S5 E2.8 GHz/I-c-core/16 MB/15 W) processor - AND Opteron 534 (2.6 GHz/I-2-core/16 MB/15 W) processor AND Opteron 533 C2.4 GHz/I-c-core/16 MB/15 W) processor - AND Opteron 534 (2.6 GHz/I-2-core/16 MB/15 W) processor AND Opteron 533 C2.4 GHz/I-c-core/16 MB/15 W) processor - AND Opteron 533 C2.4 GHz/I-c-core/16 MB/15 W) processor AND Opteron 533 C2.4 GHz/I-c-core/16 MB/15 W) processor - AND Opteron 532 C2.4 GHz/I-c-core/16 MB/15 W) processor AND Opteron 533 C2.4 GHz/I-c-core/16 MB/15 W) processor - AND Opteron 533 C2.4 GHz/I-c-core/16 MB/115 W) processor AND Opteron 533 C2.4 GHz/I-c-core/16 MB/15 W) processor - AND Opteron 533 C2.4 GHz/I-c-core/16 MB/115 W) processor Processor number 1 or 2 Processor ore available 4.8, 12, or 16 Processor Great available 4.8, 12, or 16 Processor Great available 4.8, 12, or 16 Memory slots 24 DIM slots Memory slots 24 DIM slots Memory slots - Advanced ECC Network controller HP FlexbleLOM (with 4x1 Cb and 2x10 Cb options) Storag controllers Shot 11 FL/FLX1 FC/FC 2.0 - Siot 11 FL/F	Processor family	AMD Opteron 6000 series	
Processor core available 4, 8, 12, or 16 Processor core available 4, 8, 12, or 16 Processor speed Up to 3.5 GHz Memory stots 24 DIMM slots Memory stots 766 GB Memory protection • Advanced ECC features • Online spare Network controller HP FlexibleLOM (with 4x1 Gb and 2x10 Gb options) Storage controllers Smart Array P4201 (with options for 512 MB, 1G, and 2G FBWC) Expansion slots PICE Rise #1 • Soft 1: FL/FH X16 PCIe 2.0 • Slot 2: 1 HL/FH X8 PCIE 2.0 • Slot 2: 1 HL/FH X8 PCIE 2.0 • Slot 3: 1 HL/FH X8 PCIE 2.0 • Slot 3: 1 HL/FH X8 PCIE 2.0 • Slot 3: 1 HL/FH X8 PCIE 2.0 • Slot 5: 1 HL/FH X8 PCIE 2.0 • S	Available processor	 AMD Opteron 6386 SE (2.8 GHz/16-core/16 MB/140 W) processor AMD Opteron 6380 (2.5 GHz/16-core/16 MB/115 W) processor AMD Opteron 6378 (2.4 GHz/16-core/16 MB/115 W) processor AMD Opteron 6376 (2.3 GHz/16-core/16 MB/115 W) processor 	 AMD Opteron 6348 (2.8 GHz/12-core/16 MB/115 W) processor AMD Opteron 6344 (2.6 GHz/12-core/16 MB/115 W) processor 8-core processors AMD Opteron 6328 (3.2 GHz/8-core/16 MB/115 W) processor AMD Opteron 6320 (2.8 GHz/8-core/16 MB/115 W) processor Quad-core processors
Processor speed Up to 3.5 GHz Memory slots 24 DIMM slots Memory slots 24 DIMM slots Memory protection 768 GB Memory protection • Advanced ECC features • Online spare Network controller HP FlexibleLOM (with 4x1 Gb and 2x10 Gb options) Storage controllers Smart Array P420i (with options for 512 MB, 1G, and 2G FBWC) Expansion slots PCLe Rise #1 PCLE Rise #1 PCLE Rise #2 (requires 2nd processor) • Slot 3: 1 HL/FH Xi B PCle 2.0 • Slot 4: 1 FL/FH Xi B PCle 2.0 • Slot 5: 1 HL/FH Xi B PCle 2.0 • Slot 5: 1 HL/FH Xi B PCle 2.0 • Slot 5: 1 HL/FH Xi B PCle 2.0 • Slot 5: 1 HL/FH Xi B PCle 2.0 • Slot 5: 1 HL/FH Xi B PCle 2.0 • Slot 5: 1 HL/FH Xi B PCle 2.0 • Slot 5: 1 HL/FH Xi B PCle 2.0 • Slot 5: 1 HL/FH Xi B PCle 2.0 • Slot 5: 1 HL/FH Xi B PCle 2.0 • Slot 5: 1 HL/FH Xi B PCle 2.0 • Slot 5: 1 HL/FH Xi B PCle 2.0 • Slot 5: 1 HL/FH Xi B PCle 2.0 • Slot 5: 1 HL/FH Xi B PCle 2.0 • Slot 5: 1 HL/FH Xi B PCle 2.0 • Slot 5: 1 HL/FH Xi B PCle 2.0 • Slot 5: 1 HL/FH Xi B PCle 2.0 • Slot 5: 1 HL/FH Xi B PCle 2.0 • Slot 5: 1 HL/FH Xi B PCle 2.0	Processor number	1 or 2	
Memory slots 24 DIMM slots Memory maximum 768 GB Memory type DDR3 Memory type DDR3 Memory protection • Advanced ECC • Inline spare • Online spare Network controller MP FlexibleLOM (with 4x1 Gb and 2x10 Gb options) Storage controllers Smart Array P420i (with options for 512 MB, 1G, and 2G FBWC) Expansion slots PCle Rise #1 • Slot 1: 1L/FM XNB PCle 2.0 • Slot 2: 1L/FM XNB PCle 2.0 • Slot 2: 1L/FM XNB PCle 2.0 • Slot 3: 1 HL/FN XNB PCle 2.0 • Slot 3: 1 HL/FN XNB PCle 2.0 • Slot 6: 1 HL/FN XNB PCle 2.0 • Slot 3: 1 HL/FN XNB PCle 2.0 • Slot 6: 1 HL/FN XNB PCle 2.0 • Slot 3: 1 HL/FN XNB PCle 2.0 • Slot 6: 1 HL/FN XNB PCle 2.0 • Slot 3: 1 HL/FN XNB PCle 2.0 • Slot 6: 1 HL/FN XNB PCle 2.0 • Slot 3: 1 HL/FN XNB PCle 2.0 • Slot 6: 1 HL/FN XNB PCle 2.0 remote management HP Integrated Lights-out Management Engine—iLO ME (standard) software • 6 on all 2P/dual processor models; N+1 redundancy standard • A on all 1P/Single processor models; N+1 redundancy standard • 6 on all 4: Marca	Processor core available	4, 8, 12, or 16	
Memory maximum 768 GB Memory type DDR3 Memory type DDR3 Memory protection • Advanced ECC • Online spare Network controller HP FlexibleLOM (with 4x1 Gb and 2x10 Gb options) Storage controllers Smart Array P420i (with options for 512 MB, 1G, and 2G FBWC) Expansion slots PCIe Rise #1 • Slot 1: HL/FH X16 PCIe 2.0 • Slot 2: HL/FH X16 PCIe 2.0 • Slot 2: HL/FH X8 PCIe 2.0 • Slot 3: 1 HL/FL X8 PCIe 2.0 • Slot 3: 1 HL/FL X8 PCIe 2.0 • Slot 6: 1 HL/FH X16 PCIe 2.0 • Slot 3: 1 HL/FL X8 PCIe 2.0 • Slot 6: 1 HL/FH X8 PCIe 2.0 • Slot 3: 1 HL/FL X8 PCIe 2.0 • Slot 6: 1 HL/FL X8 PCIe 2.0 • Slot 3: 1 HL/FL X8 PCIe 2.0 • Slot 6: 1 HL/FL X8 PCIe 2.0 • Slot 3: 1 HL/FL X8 PCIe 2.0 • Slot 6: 1 HL/FL X8 PCIe 2.0 • Slot 3: 1 HL/FL X8 PCIe 2.0 • Slot 6: 1 HL/FL X8 PCIe 2.0 • Slot 4: 1 HL/FL X8 PCIe 2.0 • Slot 6: 1 HL/FL X8 PCIe 2.0 • Slot 4: 1 HL/FL X8 PCIe 2.0 • Slot 6: 1 HL/FL X8 PCIe 2.0 • Slot 5: 1 HL/FL X8 PCIe 2.0 • Slot 6: 1 HL/FL X8 PCIe 2.0 • Slot 6: 1 HL/FL X8 PCIe 2.0 • Slot 6: 1 HL/FL X8 PCIe 2.0 • Slot 6: 1 HL/FL X8 PCIe 2.0 • Slot 6: 1 HL/FL X8 PCIe 2.0 • Slot 6: 1 HL/FL X8 PCIe 2.0 • Slot 6: 1 HL/FL X8 PCIe 2.0 • Slot 6: 1 HL/FL X8	Processor speed	Up to 3.5 GHz	
Memory type DDR3 Memory protection features • Advanced ECC • Online spare Network controller HP FlexibleLOM (with 4x1 Gb and 2x10 Gb options) Storage controllers Smart Array P420i (with options for 512 MB, 1G, and 2G FBWC) Expansion slots PCIe Rise #1 • Slot 1: 1 FL/FH X16 PCIe 2.0 • Slot 2: 1 HL/FL X8 PCIe 2.0 • Slot 2: 1 HL/FL X8 PCIe 2.0 • Slot 3: 1 HL/FL X8 PCIe 2.0 • Slot 3: 1 HL/FL X8 PCIe 2.0 • Slot 5: 1 HL/FL X8 PCIe 2.0 • Slot 5: 1 HL/FL X8 PCIe 2.0 • Slot 6:	Memory slots	24 DIMM slots	
Memory protection features • Advanced ECC • Online spare Network controller HP FlexibleLOM (with 4x1 Gb and 2x10 Gb options) Storage controllers Smart Array P420i (with options for 512 MB, 1G, and 2G FBWC) Expansion slots PCIe Rise #1 • Slot 1: 1 FL/FH X16 PCIe 2.0 • Slot 2: 1 HL/FH X8 PCIe 2.0 • Slot 3: 1 HL/FH X8 PCIe 2.0 • Slot 4: 1 FL/FH X16 PCIe 2.0 • Slot 5: 1 HL/FH X8 PCIe 2.0 • Slot 5: 1 HL/FH X8 PCIe 2.0 • Slot 6: 1 HL/FH X8 PCIE	Memory maximum	768 GB	
features • Online spare Network controller HP FlexibleLOM (with 4x1 Gb and 2x10 Gb options) Storage controllers Smart Array P420i (with options for 512 MB, 1G, and 2G FBWC) Expansion slots PCIe Rise #1 • Slot 1: 1 FL/FH X16 PCIe 2.0 • Slot 3: 1 HL/FL X8 PCIe 2.0 • Slot 6: 1 HL/FH X16 PCIe 2.0 • Slot 6: 1 HL/FH X8 PCIe 2.0 Remote management software HP Integrated Lights-out Management Engine—iLO ME (standard) software Form factor chassis Rack System fans features • 6 on all 2P/dual processor models; N+1 redundancy standard • 4 on all 1P/single processor models; N+1 redundancy standard Power supply type 1-2 HP 460 W or 750 W CS Platinum Plus Hot Plug Power Supply (94% efficient) Graphic card Integrated Matrox G200 video standard Full configuration form factor 2U Warranty standard statement Global Limited Warranty 3/3/3 3/3/3	Memory type	DDR3	
Storage controllers Smart Array P420i (with options for 512 MB, 16, and 26 FBWC) Expansion slots PCIe Rise #1 · Slot 1: 1 FL/FH X16 PCIe 2.0 · Slot 1: 1 FL/FH X16 PCIe 2.0 · Slot 2: 1 HL/FL X8 PCIe 2.0 · Slot 3: 1 HL/FL X8 PCIe 2.0 · Slot 3: 1 HL/FL X8 PCIe 2.0 · Slot 5: 1 HL/FH X8 PCIe 2.0 · Slot 3: 1 HL/FL X8 PCIe 2.0 · Slot 6: 1 HL/FH X8 PCIe 2.0 · Slot 6: 1 HL/FH X8 PCIe 2.0 · Slot 7: 1 HL/FH X8 PCIe 2.0 · Slot 6: 1 HL/FH X8 PCIe 2.0 · Slot 6: 1 HL/FH X8 PCIe 2.0 · Slot 7: 1 HL/FH X8 PCIe 2.0 · Slot 6: 1 HL/FH X8 PCIe 2.0 · Slot 6: 1 HL/FH X8 PCIe 2.0 · Slot 6: 1 HL/FH X8 PCIe 2.0 · Slot 6: 1 HL/FH X8 PCIe 2.0 · Slot 6: 1 HL/FH X8 PCIe 2.0 · Slot 6: 1 HL/FH X8 PCIe 2.0 Form factor Rack System fans features · 6 on all 2P/dual processor models; N+1 redundancy standard Form factor Integrated Matrox G200 video standard <td>••</td> <td></td> <td></td>	••		
Expansion slots PCLe Rise #1 • Slot 1: 1 FL/FH X16 PCIe 2.0 • Slot 2: 1 HL/FH X8 PCIe 2.0 • Slot 3: 1 HL/FL X8 PCIe 2.0 • Slot 3: 1 HL/FL X8 PCIe 2.0 • Slot 3: 1 HL/FL X8 PCIe 2.0 • Slot 6: 1 HL/FH X8 PCIe 2.0 Remote management software HP Integrated Lights-out Management Engine—iLO ME (standard) software Form factor chassis Rack System fans features • 6 on all 2P/dual processor models; N+1 redundancy standard • 4 on all 1P/single processor models; N+1 redundancy standard Power supply type 1-2 HP 460 W or 750 W CS Platinum Plus Hot Plug Power Supply (94% efficient) 10400 W cm 200 video standard Graphic card Integrated Matrox G200 video standard 2U Warranty 3/3/3	Network controller	HP FlexibleLOM (with 4x1 Gb and 2x10 Gb options)	
 Slot 1: 1 FL/FH X16 PCIe 2.0 Slot 2: 1 HL/FH X8 PCIe 2.0 Slot 3: 1 HL/FL X8 PCIe 2.0 Slot 3: 1 HL/FL X8 PCIe 2.0 Slot 6: 1 HL/FH X16 PCIe 2.0 Slot 6: 1 HL/FH X8 PCI	Storage controllers	Smart Array P420i (with options for 512 MB, 1G, and 2G FBWC)	
software Form factor chassis Rack System fans features • 6 on all 2P/dual processor models; N+1 redundancy standard • 4 on all 1P/single processor models; N+1 redundancy standard • 4 on all 1P/single processor models; N+1 redundancy standard Power supply type 1–2 HP 460 W or 750 W CS Platinum Plus Hot Plug Power Supply (94% efficient) 1–2 HP 460 W or 750 W CS Platinum Plus Hot Plug Power Supply Graphic card Integrated Matrox G200 video standard 1 Full configuration form factor 2U 1 Warranty standard statement Global Limited Warranty 3/3/3	Expansion slots	 Slot 1: 1 FL/FH X16 PCIe 2.0 Slot 2: 1 HL/FH X8 PCIe 2.0 	 Slot 4: 1 FL/FH X16 PCIe 2.0 Sot 5: 1 HL/FH X16 PCIe 2.0
System fans features • 6 on all 2P/dual processor models; N+1 redundancy standard • 4 on all 1P/single processor models; N+1 redundancy standard Power supply type 1–2 HP 460 W or 750 W CS Platinum Plus Hot Plug Power Supply (94% efficient) Graphic card Integrated Matrox G200 video standard Full configuration form factor 2U Warranty standard statement Global Limited Warranty 3/3/3 3/3/3	-	HP Integrated Lights-out Management Engine—iLO ME (standard)	
• 4 on all 1P/single processor models; N+1 redundancy standard Power supply type 1–2 HP 460 W or 750 W CS Platinum Plus Hot Plug Power Supply (94% efficient) Graphic card Integrated Matrox G200 video standard Full configuration form factor 2U Warranty standard statement Global Limited Warranty 3/3/3 3/3/3	Form factor chassis	Rack	
(94% efficient) Graphic card Integrated Matrox G200 video standard Full configuration form factor 2U Warranty standard statement Global Limited Warranty 3/3/3	System fans features	•	
Full configuration form factor 2U Warranty standard statement Global Limited Warranty Warranty 3/3/3	Power supply type	5 11 5	
form factor Warranty standard statement Warranty 3/3/3	Graphic card	Integrated Matrox G200 video standard	
statement Warranty 3/3/3	-	20	
•	-	Global Limited Warranty	
	•	3/3/3	

* Supports AMD Opteron 6200 and 6300 series processors

Ideal environment

If your business operation plans on meeting the growing demand for applications, data, and digital content, then you'll want to future-proof your infrastructure while getting a quick return on investment. The HP ProLiant DL385p Gen8 offers unprecedented configuration flexibility to suit a wide range of customer sizes and compute environments, including virtualization, database, and high-performance computing workloads. As part of the HP Generation 8 server line, the DL385p delivers unmatched performance/price, efficiency, and scalability.

For more information

To learn more about the HP ProLiant DL385 Gen8 Server, visit **hp.com/servers/dl385p-gen8.**

View the HP ProLiant DL385p QuickSpecs http://h18000.www1.hp.com/products/quickspecs/14329_ div/14329_div.html.

For information on HP Qualified Options, visit **hp.com/go/hpqo.**

View the HP/AMD Microsite **hp.com/go/proliant/amd**

HP Services

When technology works, business works.

When you buy HP ProLiant Options for your HP ProLiant servers, it is also good time to think about services.

Recommended HP Care Pack Services

- 3-Year HP 24x7 4-hour Response, Hardware Support Onsite Service; or
- 3-Year HP 24x7 4-hour Response, HP Collaborative Support
- HP ProLiant Server Hardware Installation Service

Related HP Care Pack Services

- 3-Year HP 24x7 4-hour Response, Proactive Care; or
- 3-Year HP 6-hour Onsite Call-to-Repair, HP Collaborative Support
- HP Proactive Select Service

All support services come with Insight Remote Support, providing 24x7 remote monitoring, proactive notifications, and problem resolution.

Coverage

For ProLiant servers, Care Pack Services provide cover for HP-branded hardware options qualified for the server, purchased at the same time or afterward, internal to the enclosure, as well as external monitors up to 22 inch diagonal and tower UPS products; these items will be covered at the same service level and for the same coverage period as the server unless the maximum supported lifetime and/or the maximum usage limitation has been exceeded. Coverage of UPS battery is not included; standard warranty terms and conditions apply.

For more information, visit:

hp.com/services/proliant

hp.com/services/bladesystem

Get connected

hp.com/go/getconnected

Current HP driver, support, and security alerts delivered directly to your desktop

© Copyright 2012 Hewlett-Packard Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

AMD is a trademark of Advanced Micro Devices Inc. ENERGY STAR is a registered mark owned by the U.S. government.