

# IBM Storwize V7000 Unified and Storwize V7000



*Maximizing storage efficiency to transform the economics of data storage*

---

## Highlights

- Maximize efficiency and flexibility with unique heterogeneous data services
  - Optimize performance with flash storage and automated tiering
  - Transform the economics of data storage with hardware-accelerated data compression
  - Leverage integrated support for file and block data to consolidate workloads
  - Use encryption to help improve security for data on existing storage systems
  - Improve network utilization for remote mirroring with innovative replication technology
  - Deploy storage quickly with easy-to-use management tools and built-in support for leading software platforms
- 

To enter the new era of business, organizations need robust and agile storage solutions that can help them deliver more services faster and more efficiently, enable real-time insight, and support more customer interaction. They need a storage infrastructure that can help them deploy their key business initiatives and let them capitalize on business opportunities.

Built with IBM® Spectrum Virtualize™ software—part of the IBM Spectrum Storage™ family—the IBM Storwize® family helps organizations support the workloads and applications that are critical to their success with feature-rich, enterprise-grade storage solutions. Storwize family systems can handle the massive volumes of data, enable rapid and flexible cloud services deployments, and deliver the performance needed to gain insights from the latest analytics technologies with its all-flash or hybrid-flash solutions.

IBM Storwize V7000 Unified and IBM Storwize V7000 are virtualized, enterprise-class hybrid storage solutions that provide the foundation for implementing an effective storage infrastructure and transforming the economics of data storage. Designed to complement virtual server environments, these modular storage systems deliver the flexibility and responsiveness required for changing business needs.



In fact, IBM Spectrum Virtualize software in Storwize V7000 Unified and Storwize V7000 provides comprehensive storage services for unlocking the business value of stored data, including virtualization and IBM Real-time Compression™. In addition, the solutions include a powerful platform and integration points to enable efficient, cost-effective hybrid cloud storage solutions. They are designed to deliver outstanding performance and efficiency for organizations of all sizes.

## Data virtualization

Storwize V7000 Unified and Storwize V7000 use IBM Spectrum Virtualize data virtualization technology to help insulate applications from physical storage. This enables applications to run without disruption, even when changes are made to the storage infrastructure.

Storwize V7000 Unified and Storwize V7000 also extend data virtualization to heterogeneous storage systems. When virtualized, data in a storage system becomes part of the Storwize solution, and it can be managed in the same way as internal drives. Data in external systems inherits all the Storwize functional richness and ease-of-use features, including advanced replication, high-performance thin provisioning, encryption, Real-time Compression and IBM Easy Tier®. Virtualizing external storage helps improve administrator productivity and boost storage utilization while also enhancing and extending the value of existing storage investments.

Moving data is one of the most common causes of planned downtime. Data virtualization enables moving data from existing storage into the new system or between arrays, while maintaining access to the data. This function might be used when replacing older storage with newer storage, as part of load-balancing work or when moving data in a tiered storage infrastructure from disk drives to flash.

Data virtualization can improve efficiency and business value. Nondisruptive migration can speed time-to-value from weeks or months to days, minimize downtime for migration, eliminate the cost of add-on migration tools, and may help avoid penalties and additional maintenance charges for lease extensions. The result can be real cost savings to your business. Users who have deployed Storwize V7000 report a 29 percent improvement in application availability.<sup>1</sup>



## Real-time Compression

IBM Real-time Compression is designed to enable storing up to five times as much data in the same physical drive space by compressing data as much as 80 percent.<sup>2</sup> Unlike other approaches to compression, Real-time Compression is designed to be used with active primary data such as production databases and email systems, which dramatically expands the range of candidate data that can benefit from compression. Real-time Compression operates immediately as data is written to the drive, meaning that no space is wasted storing uncompressed data awaiting post-processing.

What's more, Real-time Compression with hardware acceleration transforms the economics of data storage. The benefits include reduced acquisition cost (because less hardware is required), reduced rack space, and lower power and cooling costs throughout the lifetime of the system. And, when combined with external data virtualization, Real-time Compression can significantly enhance the usable capacity of existing storage systems, extending their useful life even further.

### High-performance, scalable platform

Storwize V7000 is built on an enhanced platform designed to deliver higher performance. A control enclosure contains dual redundant controllers, each with a 10-core 2.2 GHz Broadwell processor with 32 GB or 64 GB of cache. Each controller contains a hardware compression accelerator based on Intel QuickAssist technology with an available second accelerator. Flexible host interface options include 16 Gbps, 1 Gbps iSCSI, and 10 Gbps iSCSI or Fibre Channel over Ethernet. Each control enclosure supports up to 20 expansion enclosures attached using high-performance 12 Gbps SAS for maximum expansion of 504 drives or approximately 2 PB of capacity. Control enclosures support up to 24 2.5-inch drives and two models of expansion enclosure support up to 24 2.5-inch or 12 3.5-inch drives.

Clustered systems provide scale-out growth in performance and capacity with up to four control enclosures and associated expansion enclosures operating as a single storage system with 64 processor cores, up to 512 GB of cache, supporting up to 1,056 drives and 7.87 PB of total capacity.

And, to enable organizations to achieve advanced performance, IBM offers an all-flash model with [IBM Storwize V7000F](#), sharing the same platform and same code base to help you solve your unique business and IT requirements.

Storwize V7000 Unified systems also include dual redundant File Modules with 1 Gbps and 10 Gbps interfaces for network-attached storage (NAS) capability.



### Efficiency

IBM Spectrum Virtualize software in Storwize V7000 Unified and Storwize V7000 is designed to deliver extraordinary levels of efficiency, helping to revolutionize data economics and drive down costs for cloud, analytics, virtual server and other enterprise-class deployments. The solution also delivers the performance needed for these demanding environments, so organizations no longer have to choose between performance and efficiency.

Traditional approaches to compression relegate its use to only less active and less performance-sensitive data, which limits the benefits and usability of compressed data. In today's business environment, limiting how and when data can be used could be a costly error. IBM Real-time Compression with hardware acceleration enables Storwize V7000 Unified and Storwize V7000 to deliver higher performance for compressed data than traditional systems offer for uncompressed data, enabling its use for practically all data types.<sup>3</sup>

In addition, automated storage tiering with IBM Easy Tier can help improve performance at a lower cost by enabling more efficient use of flash storage or multiple types of disk drives. Easy Tier automatically identifies more active data and moves that data to faster storage such as flash. This helps organizations use flash storage for the data that will benefit the most, helping deliver the maximum benefit even from small amounts of flash storage capacity. In fact, Easy Tier can deliver up to three times performance improvement with only five percent flash storage capacity.<sup>4</sup>

Storwize V7000 Unified also features IBM Active File Management for automated, policy-based placement and tiering of file data—including flash, disk and tape tiers—for highly efficient, low-cost storage. Active File Management operates both within a single system and across systems at multiple locations, enabling automated placement of data closest to users. New integration with IBM Spectrum Scale™ allows file sharing between Storwize V7000 Unified and IBM Spectrum Scale under one single global name space.

When combined with external storage virtualization, Real-time Compression, Easy Tier and Active File Management can help organizations manage internal and external tiers of storage, including IBM FlashSystem®. Using these techniques with existing storage can significantly improve performance for data on these systems, improving service levels and extending asset life.

When replicating block data for business continuity, Storwize V7000 Unified and Storwize V7000 can use IP network connections for simplicity and lower cost. Integrated Bridgeworks WANrockIT technology helps improve network utilization up to three times compared with traditional approaches,<sup>5</sup> which can help reduce networking costs as well as accelerate replication cycles.

### High availability

Clients are increasingly deploying virtualized servers using IBM PowerVM®, VMware and other technologies in high-availability configurations. Such configurations provide attractive options for high availability and load balancing.

The IBM HyperSwap® function enables a single Storwize V7000 system to support servers in two data centers. In this configuration, the solution enables servers at both data centers to access data concurrently. When combined with server data mobility functions such as VMware vMotion or PowerVM Live

Partition Mobility, this configuration enables nondisruptive storage and virtual machine mobility between the two data centers, which can be up to 300 km (186 miles) apart.

In addition, Distributed RAID technology helps improve data availability by allowing data to be distributed across more physical drives that are used simultaneously, achieving faster rebuild time. This technology can also deliver increased performance since data can be read from/written to more drives for a given I/O.

### Ease of use

Storwize V7000 Unified and Storwize V7000, using IBM Spectrum Virtualize software, are designed to be easy to use from the very start. For example, an intuitive management interface enables administrators to easily manage both block and file data in the same system. IBM Spectrum Control™ can also provide organizations with an end-to-end view of storage health, long-term performance analytics and capacity statistics for Storwize V7000 Unified, Storwize V7000 and the surrounding storage infrastructure.

IBM Spectrum Control™ can also provide organizations with an end-to-end view of storage health, long-term performance analytics and capacity statistics for Storwize V7000 Unified, Storwize V7000 and the surrounding storage infrastructure.

What's more, IBM Spectrum Virtualize technologies—including Real-time Compression, Easy Tier, IP replication with Bridgeworks WANrockIT technology and Active File Management—operate automatically and require little or no customization.

WANrockIT uses artificial intelligence technology to automatically optimize network use without any manual intervention. Because it's integrated into Storwize V7000 Unified and Storwize V7000, there are no separate appliances to manage. Plus, WANrockIT is not sensitive to data type, so it can deliver consistent benefits even as workloads change.

Storwize V7000 Unified and Storwize V7000 also include storage pool balancing that operates automatically to distribute data across arrays in a pool—including external virtualized storage—to deliver balanced array performance and help eliminate the need for manual tuning.

In addition, Storwize V7000 Unified includes integrated support for IBM Spectrum Protect™, to simplify backups; restores; and application-aware, VMware-aware snapshots. It also supports the Network Data Management Protocol (NDMP) for backing up data with third-party applications.

## Dependability

Storwize V7000 Unified and Storwize V7000 are part of the proven IBM Storwize family, with more than 281,000 enclosures and 5.3 exabytes of capacity deployed in organizations worldwide. An improved platform and unique compression accelerators using Intel QuickAssist technology deliver the power and flexibility required to support demanding cloud, analytics and virtual server environments.

For example, Storwize V7000 Unified combines both block and file storage into a single, dependable system. As a result, multiple management points can be eliminated, storage tiers—including flash—can be shared across all types of data, and data economics can be improved for a wide range of applications.

The unrelenting tide of data breaches continues to fuel an increasing interest in IBM self-encrypting storage, which automatically secures all information on a disk drive or tape cartridge when physically removed from a storage system. If a drive gets lost or stolen, data encryption renders data inaccessible. Storwize V7000 encryption also provides *cryptographic erasure*, a simple, cost-effective method for cleansing sensitive data from systems that are being retired or repurposed.

---

### IBM Storwize V7000 Unified and Storwize V7000 storage systems at a glance

<b>Maximum drives supported</b>	504 per control enclosure; 1,056 per clustered system
<b>Cores per controller/control enclosure/clustered system</b>	10/20/80
<b>Cache per controller/control enclosure/clustered system</b>	32 or 64 GB/64 or 128 GB/up to 512 GB



**Take the next step.** [Click here.](#)  
➔ See the full list of specifications.

---

Support for Network File System (NFS) v4 and Server Message Block (SMB) 3.0 protocols, coupled with multi-tenancy support for file workloads, also enables consolidation with even more application types and deployment scenarios.

With their virtualized storage design and tight affinity with PowerVM, OpenStack, Microsoft ODX, VMware vSphere v6 and VMware vSphere Virtual Volumes (VVOL), Storwize V7000 Unified and Storwize V7000 are an ideal complement for virtualized servers that are at the heart of cloud deployments.

Storwize V7000 Unified and Storwize V7000 support both scaling up (by adding additional enclosures and drives) and scaling out (by clustering) for configuration growth. This flexibility simplifies planning for future requirements and enables organizations to purchase only as much storage and controller capability as needed. For additional investment protection, clusters can include both existing Storwize V7000 systems as well as new Storwize V7000 Unified and Storwize V7000 systems models.

## Why IBM?

Innovative technology, open standards, excellent performance, and a broad portfolio of proven storage software, hardware and solutions offerings—all backed by IBM with its recognized industry leadership—are just a few of the reasons you should consider storage solutions from IBM, including Storwize V7000 Unified, Storwize V7000 and [Storwize V7000F](#).

## For more information

To learn more about IBM Storwize V7000 Unified and Storwize V7000, please contact your IBM representative or IBM Business Partner, or visit:

[ibm.com/storage/storwizev7000](http://ibm.com/storage/storwizev7000)

To learn more about IBM Storwize V7000F all-flash, please contact your IBM representative or IBM Business Partner, or visit: [ibm.com/systems/storage/storwize/all-flash](http://ibm.com/systems/storage/storwize/all-flash)

For a list of currently supported servers, operating systems, host bus adapters, clustering applications and SAN switches and directors, refer to the IBM System Storage Interoperation Center at: [ibm.com/systems/support/storage/config/ssic](http://ibm.com/systems/support/storage/config/ssic)

For a list of high-quality solutions with our partner ISVs, including access to solution briefs and white papers, refer to: [ibm.com/systems/storage/solutions/isv](http://ibm.com/systems/storage/solutions/isv)



---

© Copyright IBM Corporation 2016

IBM Systems  
Route 100  
Somers, NY 10589

Produced in the United States of America  
August 2016

IBM, the IBM logo, [ibm.com](http://ibm.com), Storwize, IBM Spectrum Virtualize, IBM Spectrum Control, IBM Spectrum Protect, IBM Spectrum Scale, IBM Spectrum Storage, Easy Tier, and Real-time Compression are trademarks of International Business Machines Corp., registered in many jurisdictions worldwide. Other product and service names might be trademarks of IBM or other companies. A current list of IBM trademarks is available on the web at “Copyright and trademark information” at [ibm.com/legal/copytrade.shtml](http://ibm.com/legal/copytrade.shtml)

Intel and Intel Xeon are trademarks or registered trademarks of Intel Corporation or its subsidiaries in the United States and other countries.

Microsoft is a trademark of Microsoft Corporation in the United States, other countries, or both.

This document is current as of the initial date of publication and may be changed by IBM at any time. Not all offerings are available in every country in which IBM operates.

The performance data discussed herein is presented as derived under specific operating conditions. Actual results may vary. It is the user’s responsibility to evaluate and verify the operation of any other products or programs with IBM products and programs.

THE INFORMATION IN THIS DOCUMENT IS PROVIDED “AS IS” WITHOUT ANY WARRANTY, EXPRESS OR IMPLIED, INCLUDING WITHOUT ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND ANY WARRANTY OR CONDITION OF NON-INFRINGEMENT. IBM products are warranted according to the terms and conditions of the agreements under which they are provided. Statements regarding IBM’s future direction and intent are subject to change or withdrawal without notice, and represent goals and objectives only.

Actual available storage capacity may be reported for both uncompressed and compressed data and will vary and may be less than stated.

<sup>1</sup> Forrester Consulting, “Total Economic Impact Study of IBM Storwize V7000 – April 2012.” The paper is available from our website, including on [ibm.com/systems/storage/disk/storwize\\_v7000/resources.html](http://ibm.com/systems/storage/disk/storwize_v7000/resources.html)

<sup>2</sup> IBM lab measurements – April 2012

<sup>3</sup> IBM lab measurements – April 2014

<sup>4</sup> IBM lab measurements – August 2010

<sup>5</sup> IBM lab measurements – September 2013



Please Recycle

