

Datasheet Fujitsu SPARC Enterprise M3000 server

Powerful entry-level solution to mission critical computing, with the high-end benefits of virtualization, automation and the deployment flexibility of a UNIX application portfolio, usable in both A/C and D/C powered datacenters.

Only the best with Fujitsu SPARC Enterprise

Based on robust SPARC architecture and running the leading Oracle Solaris 11, Fujitsu SPARC Enterprise servers are ideal for customers needing highly scalable, reliable platforms that increase their system utilization and performance through virtualization.

The combined leverage of Fujitsu's expertise in mission-critical computing technologies and high-performance processor design, with Oracle's expertise in open, scalable, partition-based network computing, provides the overall flexibility to meet any task.

A SPARC of steel

Fujitsu SPARC Enterprise M3000 is the entry to mission-critical system with high-end features plus a 'Super Green Product" profile. It uses the same aggressive RAS functions as its larger enterprise class cousins, yet the compact rack mounted single processor design ensures the lowest possible cost of ownership.

In-built self-healing mechanisms and rock solid dependability, plus the latest 2.86 GHz SPARC64 VII+ processor, means excellent and long term operation for a wide range of systems including databases, ERP application modules and telecommunication systems. Total binary compatibility also fully protects your application investments, as well as providing Solaris Containers for resource virtualization at no extra cost. You will find that Fujitsu SPARC Enterprise M3000 is a cost performance leader for whatever tasks you have in mind.





Features and benefits

Main features Benefits Flexible investment protection ■ The latest SPARC64 VII+ quad-core processor, suited to both high ■ Investment protection for years to come, less risk and lower cost of performance business tasks and multi-process virtual ownership. environment. ■ Scales 30% beyond previous Fujitsu PRIMEPOWER models with ■ Supports thousands of Solaris Containers and highly secure lower space and power requirements. clustered environments based on Fujitsu PRIMECLUSTER. ■ Fast deployment of new applications with total availability for business critical processes. Reliability that makes you forget ■ Engineered with mainframe class self-healing capability. ■ Suits the needs for mission critical systems - databases and various ■ Major circuits of processors and memory are constantly monitored industry application systems including finance and to ensure correct and continuous operation telecommunications. ■ Maximizes the delivery of peak performance by the self-managing hardware. World's most advanced OS, Oracle Solaris 11 ■ Minimizes costs of server administration and maintenance ■ Whole network can be virtualized by mapping physical network entities onto virtualization entities Application asset protection by non-disruptive upgrades ■ Solaris 10 Containers can help applications run on Solaris 11 ■ Maximum system operations time due to online systems update ■ Boot Environment greatly reduces downtime for server updates ability ■ Protects business credibility by eliminating information exposure Highest security including delegated administration can minimize risks of attacks and business disruption risks

Topics

Flexible investment protection

The use of four core processors reduces the cost of socket based application licenses as well as enabling more flexible and extensive use of Solaris Containers. Add in the high reliability and lower operating costs and you have unrivalled investment protection. Not only will your servers have a longer useful life but they will also reduce your overall IT spends.

As advances in processor technology have continued, Fujitsu SPARC Enterprise and SPARC64 processors provide the ability to significantly increase performance over time. In addition great advances continue to be made in improved Green credentials. M3000 has now achieved Fujitsu's highest classification of "Super Green Product." Not only is it very good to the environment it will also reduce your power consumption and cooling costs.

To ensure that the available performance can be fully used, Solaris Containers let you quickly and dynamically reconfigure the system to support both existing and new processes concurrently. Fully compatible with all Solaris applications Fujitsu SPARC Enterprise M3000 inter-works will all other Solaris and SPARC Enterprise systems to let you start small and grow as your requirements increase.

Reliability that makes you forget

While Fujitsu SPARC Enterprise M3000 is positioned as an entry to mission-critical server, its reliability is second to none. The Fujitsu design reflects a long engineering heritage where quality and robustness are not seen as items only available at the enterprise level. The result is a most reliable self-sustaining system that works well with all the applications it supports. The wide ranging error checking and correction systems are implemented directly in the hardware. This not only takes the pressure off the OS and applications but also ensures the platform really can manage itself. This relieves system administrators from most of the difficult diagnostic and recovery tasks required with many other systems. Once you own a Fujitsu SPARC Enterprise system you will soon forget the operational problems of the past. Like the engine management systems in the finest cars, everything is monitored and self-managed to ensure all applications work non-stop at the peak of their capability.

World's most advanced OS, Oracle Solaris

Solaris is the only OS that has the scalability, security, and diagnostic features to fully and quickly respond if a major application problem occurs. That has directly led to Solaris having one of the world's largest application portfolios and why it is the development platform of choice for many of the world's major software developers.

Technical details

| Processor | | |
|---------------------------------|--|--|
| Processor quantity and type | 1 x SPARC64 VII+ | |
| Processor options | 1 x SPARC64 VII+ quad-core processor (2.86GHz, 128KB L1 cache on core, 5.5MB | |
| Trocessor options | L2 cache per chip) | |
| | | |
| Memory | | |
| Memory slots | 8 slots | |
| Memory slot type | DDR2 SDRAM | |
| Memory capacity (min. – max.) | 4GB-64GB | |
| Memory protection | ECC | |
| | Extended ECC | |
| | Memory Patrolling | |
| Memory modules | 8GB Memory Expansion (4 x 2GB DIMM) | |
| | 16GB Memory Expansion (4 x 4GB DIMM) | |
| | 32GB Memory Expansion (4 x 8GB DIMM) | |
| | | |
| Drive bays | | |
| Hard disk bay configuration | 4 x 2.5-inch hot-swap SAS | |
| Hard disk drives | 300GB 2.5-inch 10,000rpm | |
| | 600GB 2.5-inch 10,000rpm | |
| Optical drive bay configuration | 1 x 128mm bay | |
| Optical drives | CD-RW/DVD-RW (8xDVD-ROM, 6xDVD-RW, 24xCD/CD-R, 10xCD-RW) | |
| Interfaces | | |
| LAN/Ethernet | 4 ports (Gbit/s, RJ45) | |
| SAS | 1 port (mini-SAS) | |
| Remote Cabinet Interface (RCI) | 1 port | |
| Service LAN for XSCF | 2 ports (10/100Mbit/s, RJ45) | |
| Service serial for XSCF | 1 port (RS232C, RJ45) | |
| | | |
| Slots | | |
| PCI Express | 4x PCI Express (x8, full-height, short) | |
| Supported operating systems | | |
| Supported operating systems | Oracle Solaris 10 9/10 or later | |
| Supported obergaing systems | Oracle Solaris 11 | |
| Operating system release link | www.fujitsu.com/sparcenterprise/manual/notes/ | |
| | | |
| Virtualization | | |
| Virtualization features | Solaris Containers | |

| DAG (| | | |
|-----------------------------------|--|-------------------|--|
| RAS features Redundant components | Hard disk drive (software RAID/hardware RAID) | | |
| Redundant components | | | |
| | Power supply unit, | | |
| | | | |
| Hot-swap components | Power system Hard disk drive (software RAID/har | dware PAID) | |
| | Fan | | |
| | Power supply unit, | | |
| | r ower supply unit, | | |
| Dimensions / Weight | | | |
| Rack-mount (W x D x H) | 440 x 657 x 87 mm; 2U | | |
| | 17.4 x 25.9 x 3.4 inches ; 2U | | |
| Weight | 22 kg | | |
| | 48.5 lb. | | |
| | | | |
| Environment | | | |
| Sound pressure (LpAm) | 47 dB (A) | | |
| Operating ambient temperature | 5–35℃ (depending on altitude) | | |
| | 41–95°F (depending on altitude) | | |
| Operating relative humidity | 20-80% | | |
| Operating altitude | 0-3,000 m | | |
| | <u>0–10,000 ft</u> | | |
| | | | |
| Electrical values | AC Power | DC Power | |
| Rated voltage range | AC 100–120V, AC 200–240V | DC -48 V, DC -60V | |
| Rated frequency range | 50/60 Hz | - | |
| Rated current max. | 5.15 A (100V–120V) | 10.52 A (-48V) | |
| | 2.81A (200V-240V) | 8.50A (-60V) | |
| Active power max. | 505W (100V-120V) | 505W (-48V) | |
| | 500W (200V-240V) | 510W (-60V) | |
| Apparent power max. | 515VA (100V–120V) | - | |
| | 562VA (200V–240V) | | |
| Heat emission | 1,818 kJ/h (100V–120V), | 1,818 kJ/h (-48V) | |
| | 1,802 kJ/h (200V-240V) | 1,836 kJ/h (-60V) | |

| Compliance | |
|-------------------------------|--|
| Europe | CE |
| | RoHS |
| USA/Canada | FCC |
| | UL/CSA |
| Japan | VCCI |
| China | CCC |
| | Chinese RoHS |
| Когеа | MIC |
| Taiwan | BSMI |
| Compliance note | There is general compliance with the safety requirements of major countries. |
| | National approvals required in order to satisfy statutory regulations or for other |
| | reasons can be applied for on request. |
| | |
| | |
| Warranty and support services | |
| Service link | www.fujitsu.com/support |

More information

Fujitsu platform solutions

In addition to Fujitsu SPARC Enterprise M3000, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Dynamic Infrastructures

With the Fujitsu Dynamic Infrastructures approach, Fujitsu offers a full portfolio of IT products, solutions and services, ranging from clients to datacenter solutions, Managed Infrastructure and Infrastructure-as-a-Service. How much you benefit from Fujitsu technologies and services depends on the level of cooperation you choose. This takes IT flexibility and efficiency to the next level.

Computing Products

www.fujitsu.com/global/services/computing/

- PRIMERGY: Industrial standard server
- SPARC Enterprise: UNIX server
- PRIMEQUEST: Mission-critical IA server
- ETERNUS: Storage system
- BS2000/OSD: Mainframe
- GS21: Mainframe
- ESPRIMO: Desktop PC
- LIFEBOOK: Notebook PC
- CELSIUS: Workstation

Software

www.fujitsu.com/software/

- Interstage: Application infrastructure software
- Systemwalker: System management software
- Symfoware: Database software
- PRIMECLUSTER: Clustering software

More information

Learn more about Fujitsu SPARC Enterprise M3000, please contact your Fujitsu sales representative, Fujitsu business partner, or visit our website.

www.fujitsu.com/sparcenterprise/

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment. Using our global know-how, we aim to resolve issues of environmental energy efficiency through IT. Please find further information at: www.fujitsu.com/global/about/environment/



Copyright

©Copyright 2010 Fujitsu Limited.
Fujitsu, the Fujitsu logo, PRIMERGY,
PRIMEQUEST, ETERNUS, BS2000/OSD, GS21,
ESPRIMO, LIFEBOOK, CELSIUS, Interstage,
Systemwalker, Symfoware, PRIMECLUSTER
are trademarks or registered trademarks of
Fujitsu Limited in Japan and other countries.
GLOVIA is a trademark of GLOVIA
International LLC in the United States and
other countries.

UNIX is a registered trademark of The Open Group in the United States and other countries.

All SPARC trademarks are trademarks or registered trademarks of SPARC International, Inc. in the United States and other countries.

Oracle and Java are registered trademarks of Oracle and/or its affiliates.

Other company, product and service names may be trademarks or registered trademarks of their respective owners.

Disclaimer

Technical data subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

Contact

FUJITSU LIMITED Website: www.fujitsu.com 2011-11-11 WW-EN