

DATASHEETFUJITSU SPARC ENTERPRISE T5440 SERVER

THE SYSTEM THAT MOVES WEB APPLICATION CONSOLIDATION INTO MID-RANGE COMPUTING. UP TO 4 HIGH PERFORMANCE PROCESSORS, HIGH MEMORY AND EXTENSIVE CONNECTIVITY PROVIDE THE INFRASTRUCTURE FOR BACK OFFICE AND DATA CENTER CONSOLIDATION TASKS.

FUJITSU SPARC ENTERPRISE FOR WEB SECURITY, EFFICIENCY AND PERFORMANCE

Fujitsu SPARC Enterprise throughput computing servers are the ultimate in Web and front-end business processes. Designed for space efficiency. low power consumption, and maximum compute performance they provide high throughput, energy-saving, and space-saving solutions, in Web server deployment. Built on UltraSPARC T2 or UltraSPARC T2 Plus processors, everything is integrated together on each processor chip to reduce the overall component count. This speeds performance lowers power use and reduces component failure. Add in the no-cost virtualization technology from Logical Domains and Solaris Containers and you have a fully scalable environment for server consolidation. Finish it off with on-chip encryption and 10 Giga-bit Ethernet freeways and they provide the compete environment for secure data processing and lightening fast throughput.

SPARC ENVIRONMENTS MEAN MANAGEABILITY AND RELIABILITY

Based on a four socket design, Fujitsu SPARC Enterprise T5440 provides up to 256 threads and 512GB of memory for outstanding workload consolidation. These servers can deliver outstanding data throughput performance in web and network environments while also delivering excellent server consolidation capability for back office and departmental database solutions. Fully supported by solid management and the top scalability and openness of the Solaris Operating system, you have the ability to maximise thread utilization, deliver application capability, and scale as large as you need.

The intrinsic service management in Fujitsu SPARC Enterprise T5440 combined with the SPARC hardware architecture and Solaris operating system enables predictive self-healing and simpler implementation and operation. In addition, with fewer components and a low-power, low-heat design, the overall incidence of server stress and component failure is well below equivalent systems. This further increases operational reliability and reduces the need for manual intervention. As a result Fujitsu SPARC Enterprise T5440 is both a cost effective and well engineered system that you can rely on to deliver responsive Web and application performance.



FEATURES AND BENEFITS

MAIN FEATURES BENEFITS

FLEXIBLE INVESTMENT PROTECTION

- 16 or 32 core systems with UltraSPARC T2 Plus processors
- Many growth options by use of Logical Domains, Solaris Containers, processor addition and space-saving server node addition
- High multi-processor performance and memory capacity

RELIABLE OPERATION

- A broad range of RAS functions including cache protection using ECC for Coherency Links, thread and core offlining memory page retirement, register protection, cache scrubbing
- Overall system management and service security from hot swap and redundant disk drives (software RAID), power supplies, and Fans, system environment monitoring and easy component replacement

WORLD'S MOST ADVANCED OS, SOLARIS 10

- Solaris 10 is pre-installed
- Supports Dynamic Tracing (DTrace) Solaris Zettabyte File System (ZFS), plus use and process rights management
- The choice of the world's most advanced developers

- Let's you select the performance you need, in a cost effective way, by choosing up to 256 threads
- Able to grow the underlying hardware platforms while maximizing the use of all available resources; for best return on investment
- Ability to handle server consolidation and web transaction processing to provide mid-range capability for departmental and back office functions as part of a consolidated web architecture
- Minimizes the possibility of server failure and ensures application continuity by removing, correcting or isolating in-processor faults
- Lower management and maintenance costs coupled with non-stop system operation
- Easy installation and upgrades with Solaris binary compatibility means software investment protection
- The outstanding diagnostics and secure data handling makes high throughput operations simpler and more secure
- Able to access the widest range of business applications available

FLEXIBLE INVESTMENT PROTECTION

The choice of up to four processors (256 threads) and high main memory delivers the performance and capacity to support larger application processes as well as allowing more flexible and extensive use of Solaris Containers and Logical Domains. High reliability coupled with low operating costs also delivers unrivalled investment protection. Not only will your Fujitsu SPARC Enterprise T5440 servers have a longer and more useful life but they will also reduce your overall IT spends.

Advanced high thread processor technology continues to provide additional performance at lower than average power consumption. When used to the maximum in high throughput computing environments you will achieve outstanding return on investment. Low than average power consumption also means savings in cooling costs particularly in high-density rack use in the data center.

Your administration costs will also reduce as the number of applications consolidated into a single SPRAC Enterprise T5440 will significantly reduce your server count.

To ensure that all available performance can be fully used, Logical Domains and Solaris Containers let you quickly and dynamically reconfigure the system to support both existing and new processes concurrently. Fully compatible with all Solaris applications Fujitsu SPARC Enterprise T5440 inter-works will all other Solaris and SPARC Enterprise systems to let you add performance or back-end processes as your requirements increase.

RELIABLE OPERATION

The hot swap and component redundancy in all Fujitsu SPARC Enterprise throughput computing servers, coupled with the high RAS functions embodied in UltraSPARC T2 Plus processors, provide Web platform reliability second to none. The result is a stable self sustaining system that works well with all the applications it supports. Error checking and correction systems implemented directly in the hardware not only take the pressure off the OS and applications but also ensure the platform really manages itself. This means less systems administration and many fewer diagnostic and recovery tasks are required. Once you own a Fujitsu SPARC Enterprise system you will soon forget the operational problems of the past.

WORLD'S MOST ADVANCED OS, SOLARIS 10

Every Fujitsu SPARC Enterprise comes pre-installed with the latest Solaris operating system. This ensures the best in binary compatibility with the world's most important application systems. It's just one more important factor in ensuring the maximum life of your IT investments. But equally importantly, Solaris is the only OS that has the scalability, security, and diagnostic features to fully and quickly respond if a major application problem occurs. That has directly led to Solaris having one of the world's largest application portfolios and why it is the development platform of choice for many of the world's major software developers.

TECHNICAL DETAILS

PROCESSOR	
Processor quantity and type	4 x UltraSPARC T2 Plus
Processor options	2 x UltraSPARC T2 Plus eight-core processor (1.4GHz, 24KB L1 cache on core, 4MB L2
	cache per chip)
	4 x UltraSPARC T2 Plus eight-core processor (1.4GHz, 24KB L1 cache on core, 4MB L2
	cache per chip)
	4 x UltraSPARC T2 Plus eight-core processor (1.6GHz, 24KB L1 cache on core, 4MB L2
	cache per chip)
MEMORY	
Memory slots	64 slots
Memory slot type	FB-DIMM
Memory capacity (min. – max.)	32GB-512GB
Memory protection	ECC
Memory modules	8GB Memory Expansion (4 x 2GB DIMM)
	16GB Memory Expansion (4 x 4GB DIMM)
	32GB Memory Expansion (4 x 8GB DIMM)
DRIVE BAYS Disk bay configuration	4 x 2.5-inch hot-plug SAS/SATA
Disk drives	HDD SAS, 146GB, 10,000rpm, 2.5-inch
	HDD SAS, 300GB, 10,000rpm, 2,5-inch
	HDD SAS, 300GB, 10,000rpm, 2.5-inch SSD SAS, 32GB, 2.5-inch
Ontical drive hav configuration	SSD SAS, 32GB, 2.5-inch
·	SSD SAS, 32GB, 2.5-inch 1 x 128mm bay
·	SSD SAS, 32GB, 2.5-inch
Optical drives NTERFACES	SSD SAS, 32GB, 2.5-inch 1 x 128mm bay CD-RW, DVD+/-RW (8xDVD+/-R, 8xDVD+/-RW, 24CD-R, 24xCD-RW)
Optical drives INTERFACES LAN/Ethernet	SSD SAS, 32GB, 2.5-inch 1 x 128mm bay CD-RW, DVD+/-RW (8xDVD+/-R, 8xDVD+/-RW, 24CD-R, 24xCD-RW) 4 ports (Gbit/s, RJ45)
Optical drives INTERFACES LAN/Ethernet Serial	SSD SAS, 32GB, 2.5-inch 1 x 128mm bay CD-RW, DVD+/-RW (8xDVD+/-R, 8xDVD+/-RW, 24CD-R, 24xCD-RW) 4 ports (Gbit/s, RJ45) 1 port (RS232C, DSUB9)
Optical drives INTERFACES LAN/Ethernet Serial USB	SSD SAS, 32GB, 2.5-inch 1 x 128mm bay CD-RW, DVD+/-RW (8xDVD+/-R, 8xDVD+/-RW, 24CD-R, 24xCD-RW) 4 ports (Gbit/s, RJ45) 1 port (RS232C, DSUB9) 4 ports (2 on front, 2 on rear)
Optical drives INTERFACES LAN/Ethernet Serial USB Service LAN for ILOM	SSD SAS, 32GB, 2.5-inch 1 x 128mm bay CD-RW, DVD+/-RW (8xDVD+/-R, 8xDVD+/-RW, 24CD-R, 24xCD-RW) 4 ports (Gbit/s, RJ45) 1 port (RS232C, DSUB9) 4 ports (2 on front, 2 on rear) 1 port (10/100Mbit/s, RJ45)
Optical drive bay configuration Optical drives INTERFACES LAN/Ethernet Serial USB Service LAN for ILOM Service serial for ILOM	SSD SAS, 32GB, 2.5-inch 1 x 128mm bay CD-RW, DVD+/-RW (8xDVD+/-R, 8xDVD+/-RW, 24CD-R, 24xCD-RW) 4 ports (Gbit/s, RJ45) 1 port (RS232C, DSUB9) 4 ports (2 on front, 2 on rear)
Optical drives INTERFACES LAN/Ethernet Serial USB Service LAN for ILOM Service serial for ILOM	SSD SAS, 32GB, 2.5-inch 1 x 128mm bay CD-RW, DVD+/-RW (8xDVD+/-R, 8xDVD+/-RW, 24CD-R, 24xCD-RW) 4 ports (Gbit/s, RJ45) 1 port (RS232C, DSUB9) 4 ports (2 on front, 2 on rear) 1 port (10/100Mbit/s, RJ45)
Optical drives INTERFACES LAN/Ethernet Serial USB Service LAN for ILOM	SSD SAS, 32GB, 2.5-inch 1 x 128mm bay CD-RW, DVD+/-RW (8xDVD+/-R, 8xDVD+/-RW, 24CD-R, 24xCD-RW) 4 ports (Gbit/s, RJ45) 1 port (RS232C, DSUB9) 4 ports (2 on front, 2 on rear) 1 port (10/100Mbit/s, RJ45) 1 port (RS232C, RJ45)
Optical drives INTERFACES LAN/Ethernet Serial USB Service LAN for ILOM Service serial for ILOM	SSD SAS, 32GB, 2.5-inch 1 x 128mm bay CD-RW, DVD+/-RW (8xDVD+/-R, 8xDVD+/-RW, 24CD-R, 24xCD-RW) 4 ports (Gbit/s, RJ45) 1 port (RS232C, DSUB9) 4 ports (2 on front, 2 on rear) 1 port (10/100Mbit/s, RJ45)

CONNECTABLE COMPONENTS	<u> </u>
SCSI/SAS controller	Dual-Channel Ultra320 SCSI Card, PCI Express
	Single-Channel SAS Card, PCI Express
Fibre channel controller	Single-Channel 4 Gbps Fibre Channel Card, PCI Express
	Dual-Channel 4 Gbps Fibre Channel Card, PCI Express
	Single-Channel 8 Gbps Fibre Channel Card, PCI Express
	Dual-Channel 8 Gbps Fibre Channel Card, PCI Express
AN controller	Quad Giga Ethernet Card (10/100/1000Base-T), PCI Express
	Dual Gigabit Ethernet Card (10/100/1000Base-T), PCI Express
	Dual Gigabit Ethernet Card (1000Base-SX), PCI Express
	Single 10 Gigabit Ethernet Card, (10Gbase-SR), PCI Express
	Single 10 Gigabit Ethernet Card, (XAUI: 10Gbase-SR/LR)
Rack infrastructure	Cable Management Arm
	Rack rail kit
SUPPORTED OPERATING SYSTEMS	
Supported operating systems	Solaris 10 8/07 or later
Operating system release link	www.fujitsu.com/sparcenterprise/manual/notes/
SERVER MANAGEMENT	
Service processor	Integrated Lights Out Manager (ILOM)
Supported software	Enhanced Support Facility
	Server System Manager
VIRTUALISATION	
/irtualization features	Logical Domains
	Solaris Containers
RAS FEATURES	
Processor RAS	ECC protection for L2 cache and registers, Thread and core offlining
Redundant components	Disk drive (HDD and SSD) redundant by software RAID
	Fan
	PCI card (multi-path configuration)
	Power supply unit,
	Power system
lot-swap components	Disk drive (HDD and SSD) hot-replaceable by software RAID
iot-owap componento	Fan
Name delice features Dominist James 19	Processor (core)
Degradation features Dynamic degradation	Processor (core)
	Memory
	HDD and SSD dynamic-degraded by software RAID
Static degradation	Processor (core)
	Management
	Memory HDD and SSD static-degraded by software

DIMENSIONS / WEIGHT	
Rack-mount (W x D x H)	445 x 633 x 176 mm; 4U
	17.5 x 24.9 x 6.9 inches
Veight	40 kg (88 lb.)
ENVIRONMENT	
Sound pressure (LpAm)	80 dB (A)
perating ambient temperature	5–35°C (depending on altitude)
perating relative humidity	10–90%
Operating altitude	0-3,000 m
LECTRICAL VALUES	AC POWER
Rated voltage range	AC 100–240V +/- 10%
Rated frequency range	50/60 Hz
Active power max.	2,700W
Apparent power max.	2,843VA
leat emission	9,720 kJ/h
COMPLIANCE	CE
Europe	
Russia	RoHS GOST-R
	GOST-R FCC
USA/Canada	ICES-003
	UL/cUL
	UL/S-mark
	VCCI
apan Hina	Chinese RoHS
<u> </u>	MIC
orea aiwan	BSMI
aiwan Australia	C-tick
Compliance notes	There is general compliance with the safety requirements of major countries. National
Jumphanice nutes	approvals required in order to satisfy statutory regulations or for other reasons can be
	applied for on request.
	applied for off request.
WARRANTY AND SUPPORT SERVICES	
WAIIIIANI I AND SUI I UIII SEILVIUES	

FUJITSU PLATFORM SOLUTIONS

In addition to Fujitsu SPARC Enterprise T5440, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Dynamic Infrastructures

With the Fujitsu Dynamic Infrastructures approach, Fujitsu offers a full portfolio of IT products, solutions and services, ranging from clients to datacenter solutions, Managed Infrastructure and Infrastructure-as-a-Service. How much you benefit from Fujitsu technologies and services depends on the level of cooperation you choose. This takes IT flexibility and efficiency to the next level.

Computing Products

www.fujitsu.com/global/services/computing/

- PRIMERGY: Industrial standard server
- SPARC Enterprise: UNIX server
- PRIMEQUEST: Mission-critical IA server
- ETERNUS: Storage system
- BS2000/OSD: Mainframe
- GS21: Mainframe
- ESPRIMO: Desktop PC
- LIFEBOOK: Notebook PC
- CELSIUS: Workstation

Software

www.fujitsu.com/software/

- Interstage: Application infrastructure software
- Systemwalker: System management software
- Symfoware: Database software
- PRIMECLUSTER: Clustering software
- GLOVIA: ERP solution

MORE INFORMATION

Learn more about Fujitsu SPARC Enterprise T5440, please contact your Fujitsu sales representative, Fujitsu business partner, or visit our website.

www.fujitsu.com/sparcenterprise/

FUJITSU GREEN POLICY INNOVATION

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment. Using our global know-how, we aim to resolve issues of environmental energy efficiency through IT. Please find further information at: www.fujitsu.com/global/about/environment/



COPYRIGHT

©Copyright 2010 Fujitsu Limited.
Fujitsu, the Fujitsu logo, PRIMERGY, PRIMEQUEST, ETERNUS, BS2000/OSD, GS21, ESPRIMO, LIFEBOOK, CELSIUS, Interstage, Systemwalker, Symfoware, PRIMECLUSTER are trademarks or registered trademarks of Fujitsu Limited in Japan and other countries.

GLOVIA is a trademark of GLOVIA International LLC in the United States and other countries. UNIX is a registered trademark of The Open Group in the United States and other countries.

All SPARC trademarks are trademarks or registered trademarks of SPARC International, Inc. in the United States and other countries.

Oracle and Java are registered trademarks of Oracle and/or its affiliates.

Other company, product and service names may be trademarks or registered trademarks of their respective owners.

DISCLAIMER

Technical data subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

CONTACT

FUJITSU LIMITED Website: www.fujitsu.com 2010-09-14 WW-EN