

SUN ZFS STORAGE APPLIANCE

EASY DATA MANAGEMENT
REAL – TIME ANALYSIS
MAXIMUM STORAGE EFFICIENCY

KEY FEATURES

- Advanced, intuitive management tools
- Real-time analysis and diagnosis of performance
- Support for Hybrid Columnar Compression with Oracle database delivers 10X- 50X compression ratios
- Active-active cluster option
- Data compression and in-line deduplication
- Optimized storage hierarchy with HSPs containing DRAM, flash cache, and HDDs
- High performance NAS storage appliance with extensive SAN storage capabilities (unified storage)
- Seamless multiprotocol integration and secure data sharing between Microsoft Windows, Linux, and UNIX environments

KEY BENEFITS

- Reduced complexity- simplified storage management
- High performance and high availability
- Reduced storage footprint, energy use and cost with Hybrid Columnar Compression for Oracle Databases
- Storage efficiency with integrated software
- Scalability in multiple dimensions to adapt to your changing business needs by increasing compute power, storage capacity, or performance independently

Oracle's Sun ZFS Storage appliances optimize performance and capacity, minimize downtime, reduce deployment time and cost. Intelligent Hybrid Storage Pools (HSPs), Real – Time Analytics, and unprecedented easy-to-use administration deliver new economic advantages with agile storage management and deployment.



Figure 1: Sun ZFS Storage appliances scale multi – dimensionally and are available with a full set of all data services

Meeting Today's IT Challenges

Storage requirements are exploding for databases, virtualization, unstructured content, and data protection. One of the unique requirements of today's storage applications is that they must provide both high performance and the ability to preserve and manage large volumes of file-based and/or block based data. IT managers are being asked to continuously meet these growing storage capacity needs on flat or declining IT budgets—all while continuing to support high service levels for more and more users.

Sun ZFS Storage Appliances

The Sun ZFS Storage appliances are Oracle's preferred NAS storage system for Enterprise Tier 1 environments. They offer new innovations in storage, including enterprise-class data services, hybrid columnar compression support for Oracle Database, and industry-leading performance while delivering significant cost savings. These systems feature a common, easy-to-use management interface that requires no additional training, and have the industry's most comprehensive analytics environment to help isolate and resolve issues to minimize

impact to your business. An advanced Hybrid Storage Pool design automatically optimizes performance and helps lower power and cooling requirements, enabling the Sun ZFS Storage Appliances to deliver break-through performance while radically simplifying the way you manage your storage.

Storage That Is Easy to Deploy, Analyze, and Optimize

Provisioning and management are dramatically simplified in Sun ZFS Storage appliances through the easy-to-use browser user interface (BUI) management that takes the guesswork out of system installation, configuration, and tuning. DTrace Analytics software provides the industry's only comprehensive and intuitive analytics environment.




Figure 2: Real – Time Analytics increase storage optimization and reduces down time

Administrators have all of the tools they need to quickly identify and diagnose system performance issues, and debug live storage and networking problems before they become challenging for the entire network. The real-time analysis and monitoring functionality is based on the award-winning DTrace Analytics technology and uses built-in instrumentation to provide in-depth analysis of key storage subsystems. Appliances also include the comprehensive self-healing capabilities of Oracle's Fault Management Architecture (FMA). FMA automatically and silently detects and diagnoses underlying system problems and automatically responds by taking faulty components offline.

Performance and Scalability to Meet Your Business Needs

To deliver high performance, the Sun ZFS Storage appliance file system, Oracle Solaris ZFS, seamlessly optimizes access to the different types of media as part of the HSPs. Oracle Solaris ZFS was designed to automatically recognize different I/O patterns and place data in the best storage media for optimal performance.

For example, Oracle Solaris ZFS transparently executes writes to low-latency SSD media so that writes can be quickly acknowledged, allowing the application to continue processing.




Figure 3: DTrace Analytics, intuitive and comprehensive for seamless optimization

Oracle Solaris ZFS then automatically flushes the data to hard disk drives as a background task. Another type of SSD media acts as a cache to reduce read latency, and Oracle Solaris ZFS also transparently manages the process of copying frequently accessed data into this cache to seamlessly satisfy read requests from clients.

Hybrid Columnar Compression for Oracle Database

Enterprises with existing NAS based Oracle databases with in-database archives for OLTP, Data Warehousing or mixed workloads can achieve 10x to 50x reductions in their data volumes by using Hybrid Columnar Compression on the Sun ZFS Storage Appliance. Unique to Oracle storage, this capability helps customers achieve 3x to 5x reductions in their storage footprints by replacing their existing storage with Oracle's Sun ZFS Storage Appliances.

Scalability in Multiple Dimensions

Unlike traditional storage architectures, Oracle's Sun ZFS Storage appliances support scalability in multiple dimensions with the ability to scale I/O throughput, processor performance, and total storage capacity to meet your application needs. As application requirements change, IT managers can choose to

- Increase resources by adding more processors, cache, I/O.
- Expand total capacity by adding enterprise-class disk shelf units
- Increase performance using additional flash

Easy on Your Budget

Oracle's Sun ZFS Storage appliances offer configurations that deliver higher performance at costs lower than traditional storage solutions by using cost-effective components and providing the industry's richest set of base software features. The systems also offer economic value by reducing energy consumption and data center space requirements through the use of 7200 RPM drives and flash. Configurations with 15,000 RPM drives are also offered for customers who want to maximize performance for specific high I/O use cases involving uncached, random data.

A Range of Configurations

To meet a variety of customer needs for capacity, price, and performance, the Sun ZFS Storage appliances come in three different configurations, including two cluster configurations that offer maximum availability. All systems come bundled with the same software including data protocols, compression, and DTrace Analytics software for system troubleshooting and performance optimization.

Sun ZFS Storage 7120

This entry-level, easy-to-install storage appliance is ideal for small and medium size businesses, departments, and remote offices of large corporations. It includes the same feature-rich software as the high-end configurations, and delivers 3.3 TB to 120 TB of raw capacity using either 7,200 RPM or 15,000 RPM SAS-2 drives with flash write cache. With the Sun Storage 7120 appliance, customers can acquire easy-to-use enterprise data management functionality at entry-level costs.

Sun ZFS Storage 7320

The Sun ZFS Storage 7320 redefines mid-range storage for the enterprise, with simplified management, performance, efficiency, and seamless expansion to meet your growing needs. It provides a high-availability, entry-level cluster option with scalability up to 192 TB raw capacity, and supports Hybrid Storage Pools that can be configured with up to 4 TB of read-optimized cache and optional write-optimized cache for enhanced application performance. Also, configurations featuring 15,000 RPM hard drives are now available for specific high I/O use cases involving uncached, random data.

Sun ZFS Storage 7420

This unified storage system gives a competitive advantage to data-intensive businesses, and is uniquely designed for virtualized environments requiring multiple data services, and heterogeneous file sharing. It is available in a single or cluster configuration, offers simplified storage management and over 1 PB of raw capacity for extreme scalability. The Sun ZFS Storage 7420 system delivers superior performance with its Hybrid Storage Pool architecture. Also, configurations featuring 15,000 RPM hard drives are now available for specific high I/O use cases involving uncached, random data.

Cluster Configurations

For customers who require maximum protection against downtime, the Sun ZFS Storage 7320 and 7420 systems also support a two-node cluster configuration with no single point of failure. The Sun ZFS Storage 7320 and 7420 Cluster Systems feature active-active architecture with no single point of failure that enables high performance and high availability to maximize business productivity.

Sun ZFS Storage Appliance Software	
Included Features	Details
File system	Oracle Solaris ZFS (128-bit addressability)
File level protocol	NFS v2/v3/v4, CIFS, HTTP, WebDAV, FTP/SFTP/FTPS
Block level protocol	ISCSI, Fibre Channel, iSER, SRP, IP over Infiniband , RDMA over Infinidband
Data compression	Four levels of data compression available
Hybrid Columnar Compression	3x to 5x reduction in storage footprint for customers with existing NAS based Oracle databases with in-database archives for OLTP, Data Warehousing or mixed workloads
Data Deduplication	Inline, block-level deduplication
Monitoring	DTrace Analytics (for system tuning and debugging); dashboard monitoring for key system performance metrics, plug-in for Oracle Enterprise Manager 10g Grid Controller 1.0
Automated serviceability	"Phone Home" capability with automatic case creation, configurable alerts
RAID	Striping, mirroring, triple-mirroring single-parity RAID, double-parity RAID, triple-parity RAID, wide stripes
Remote management	HTTPS, SSH, SNMP v1/v2c, IPMI
Snapshots	Read only, restore, Microsoft Volume Shadow Copy Support (VSS)
Directory services	NIS, AD, LDAP
Data security	Checksum data and metadata, antivirus quarantine
Network services	NTP, DHCP, SMTP
Backup	NDMP v3/v4, ZFS NDMP
Separately Licensed Features	Details
Clones	Writable snapshots
Replication	1:N, N:1, manual, scheduled, continuous

Sun ZFS Storage Appliance Configurations						
	Key Requirement	Maximum Storage Capacity	Space (Rack Units)	Write Optimized Flash	Read Optimized Flash	Cluster Option
Sun ZFS Storage 7120	Low-priced entry-level system with all software features	120 TB	2U/controller, 4U/disk shelf	73GB or 96GB	N	N
Sun ZFS Storage 7320	Entry-level cluster option for high availability	192 TB	1U/controller, 4U/disk shelf	Up to 288GB	Up to 2TB per controller	Y
Sun ZFS Storage 7420	Best price/performance	1.15 PB	3U/controller, 4U/disk shelf	Up to 1.7TB	Up to 2TB per controller	Y

Sun ZFS Storage Appliance Specifications			
	7120	7320	7420
Architecture			
Processor	1x 4-core 2.4 GHz Intel® Xeon® Processor	2x 4-core 2.4 GHz Intel® Xeon® Processor, per controller	Up to 4x 6-core 1.86 GHz or 8-core 2.0GHz Intel® Xeon® Processors per controller
Main memory	24 GB	Up to 72 GB per controller	Up to 512 GB per controller
Base Configurations			
Configuration options	<ul style="list-style-type: none"> • 3.3 TB to 120 TB using either high speed (15,000 RPM) or high capacity (7,200 RPM) SAS-2 disks • Supports up to 2 additional disk shelves with 24 disks each (300GB, 600GB, 1TB, or 2TB) 	<ul style="list-style-type: none"> • 6TB to 192 TB using either high speed (15,000 RPM) or high capacity (7,200 RPM) SAS-2 disks • Supports up to 4 disk shelves with 24 disks each (300GB, 600GB, 1TB, or 2TB) and optional Write optimized SSD 	<ul style="list-style-type: none"> • 6TB to 1.15PB using either high speed (15,000 RPM) or high capacity (7,200 RPM) SAS-2 disks • Supports up to 24 disk shelves with 24 disks each (300GB, 600GB, 1TB, or 2TB) and optional Write optimized SSD
Standard and Optional Interfaces			
Integrated network	Four 10/100/1000 Base-T Ethernet ports		
Optional network connectivity	Quad Gigabit Ethernet UTP; Dual 10 GigE, QDR Infiniband HCA, 8Gb FC HBA		
Optional tape backup HBA	Dual channel 8Gb FC HBA		
Maximum ports per controller			
1GbE/10GbE/IB/FC	12/2/2/4 (single only)	12/4/4/4 (Single) 8/2/2/2 (Cluster)	28/12/8/12 (single or cluster)
Environmental			
Non-operating temperature/humidity (standalone, non-rack system)	-40°C to 70°C (-40°F to 158°F), up to 93% relative humidity, non condensing		
Altitude (operating)	Up to 3000m, temperature is derated by 1C per 300m of elevation above 900m		
Power Consumption	1,200 W (full controller)	760 W (full controller)	1,485 W (full controller)

Regulations (Meets or Exceeds the Following Requirements)			
Safety	UL 60950-1 2nd Ed, EN60950-1:2006 2nd Ed, CB Scheme with all country differences	UL 60950-1 2nd Ed, EN60950-1:2006 2nd Ed, CB Scheme with all country differences	IEC 60950, UL/CSA 60950, EN60950, CB Scheme with all country differences
RFI/EMI	FCC CFR 47 Part 15 Class A, EN 55022 Class A, EN 61000-3-2, EN 61000-3-3, EN 300-386		
Immunity	EN55024:1998+A1:2001:+A2:2003		
Physical Dimensions			
Height	87.12 mm (3.43 in.)	43.43 mm (1.71 in.)	129.85 mm (5.1 in)
Width	425.45 mm (16.75 in.)	425.5 mm (16.75 in.)	436.5 mm (17.2 in.)
Depth	762.0 mm (30.0 in.)	685.8 mm (30.0 in.)	732 mm (28.8 in.)
Weight	29.54 kg (65 lbs.)	16.36 kg (36 lbs)	38.5 kg (85 lbs) max

Contact Us

For more information about Sun ZFS Storage Appliance, visit oracle.com or call +1.800.ORACLE1 to speak to an Oracle representative.



Oracle is committed to developing practices and products that help protect the environment

Copyright © 2011, Oracle and/or its affiliates. All rights reserved.

This document is provided for information purposes only and the contents hereof are subject to change without notice. This document is not warranted to be error-free, nor subject to any other warranties or conditions, whether expressed orally or implied in law, including implied warranties and conditions of merchantability or fitness for a particular purpose.

We specifically disclaim any liability with respect to this document and no contractual obligations are formed either directly or indirectly by this document. This document may not be reproduced or transmitted in any form or by any means, electronic or mechanical, for any purpose, without our prior written permission.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Xeon are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Opteron, the AMD logo, and the AMD Opteron logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark licensed through X/Open Company, Ltd. 0611

Hardware and Software, Engineered to Work Together