

PRODUCT LINE CARD

HITACHI VIRTUAL STORAGE PLATFORM G SERIES FAMILY MATRIX

	Hitachi Virtual Storage Platform G350	Hitachi Virtual Storage Platform G370	Hitachi Virtual Storage Platform G700	Hitachi Virtual Storage Platform G900
<b>Capacity Specifications</b>				
<b>Performance (IOPS)</b>	600K	1.2M	1.4M	2.4M
<b>Max. Raw Internal Capacity</b>	3,454TB (14TB LFF HDD) 442TB (2.4TB SFF HDD) 5,778TB (30TB SSD)	5,098TB (14TB LFF HDD) 664TB (2.4TB SFF HDD) 8,667TB (30TB SSD)	16.4PB (14TB LFF HDD) 1.9PB (2.4TB SFF HDD) 6.0PB (14TB FMD) 26.0PB (30TB SSD)	19.7PB (14TB LFF HDD) 2.6PB (2.4TB SFF HDD) 8.1PB (14TB FMD) 34.6PB (30TB SSD)
<b>Total Efficiency Guarantee Ratio *</b>	Up to 7:1	Up to 7:1	Up to 7:1	Up to 7:1
<b>Host Port Counts (Max. without drives)</b>	16 x FC 8 x iSCSI	16 x FC 8 x iSCSI	64 x FC 32 x iSCSI	80 x FC 40 x iSCSI
<b>Value Added Bundled Features</b>	100% Data Availability Guarantee Storage Virtualization In System Replication Copy Management Dynamic Tiering Infrastructure Analytics	100% Data Availability Guarantee Storage Virtualization In System Replication Copy Management Dynamic Tiering Infrastructure Analytics	100% Data Availability Guarantee Storage Virtualization In System Replication Copy Management Dynamic Tiering Infrastructure Analytics	100% Data Availability Guarantee Storage Virtualization In System Replication Copy Management Dynamic Tiering Infrastructure Analytics

	Non-disruptive Migration Total Efficiency Guarantee	Non-disruptive Migration Total Efficiency Guarantee	Non-disruptive Migration Total Efficiency Guarantee	Non-disruptive Migration Total Efficiency Guarantee
<b>Performance (Bandwidth)</b>	9GB/s	12 GB/s	24 GB/s	41 GB/s
<b>Max. Raw External Capacity</b>	72PB	144PB	216PB	287PB
<b>Maximum (Max.) Number of Hard Drives, Including Spares</b>	192 SFF HDD 252 LFF HDD	288 SFF HDD 372 LFF HDD	864 SFF HDD 1,200 LFF HDD	1,152 SFF HDD 1,440 LFF HDD
<b>Max. Number of Flash Drives, Including Spares</b>	192 SSD	288 SSD	864 SSD 432 FMD	1,152 SSD 576 FMD
<b>Flash Drive Options</b>	30TB 2.5" SSD 15TB 2.5" SSD 7.6TB 2.5" SSD 3.8TB 2.5" SSD 1.9TB 2.5" SSD 480GB 2.5" SSD	30TB 2.5" SSD 15TB 2.5" SSD 7.6TB 2.5" SSD 3.8TB 2.5" SSD 1.9TB 2.5" SSD 480GB 2.5" SSD	14TB FMD 7TB FMD 3.5TB FMD 30TB 2.5" SSD 15TB 2.5" SSD 7.6TB 2.5" SSD 3.8TB 2.5" SSD 1.9TB 2.5" SSD 480GB 2.5" SSD	14TB FMD 7TB FMD 3.5TB FMD 30TB 2.5" SSD 15TB 2.5" SSD 7.6TB 2.5" SSD 3.8TB 2.5" SSD 1.9TB 2.5" SSD

Hitachi Virtual  
Storage Platform  
G350

Hitachi Virtual  
Storage Platform  
G370

Hitachi Virtual Storage  
Platform G700

Hitachi Virtual Storage  
Platform G900

**Capacity Specifications (continued)**

<b>SAS Hard Drive Options</b>	14TB (3.5" 7.2K) 10TB (3.5" 7.2K) 6TB (3.5" 7.2K) 2.4TB (2.5" 10K) 1.2TB (2.5" 10K) 600GB (2.5" 10K)	14TB (3.5" 7.2K) 10TB (3.5" 7.2K) 6TB (3.5" 7.2K) 2.4TB (2.5" 10K) 1.2TB (2.5" 10K) 600GB (2.5" 10K)	14TB (3.5" 7.2K) 10TB (3.5" 7.2K) 6TB (3.5" 7.2K) 2.4TB (2.5" 10K) 1.2TB (2.5" 10K) 600GB (2.5" 10K)	14TB (3.5" 7.2K) 10TB (3.5" 7.2K) 6TB (3.5" 7.2K) 2.4TB (2.5" 10K) 1.2TB (2.5" 10K) 600GB (2.5" 10K)
<b>Max. Standard Expansion Trays</b>	7 (2U: 12 LFF HDD) 7 (2U: 24 SFF HDD/SSD)	11 (2U: 12 LFF HDD) 11 (2U: 24 SFF HDD/SSD)	36 (2U: 12 LFF HDD) 36 (2U: 24 SFF HDD/SSD) 36 (2U: 12 FMD)	48 (2U: 12 LFF HDD) 48 (2U: 24 SFF HDD/SSD) 48 (2U: 12 FMD)
<b>Max. High Density Expansion Trays</b>	4 (4U: 60 LFF/SFF HDD)	6 (4U: 60 LFF/SFF HDD)	20 (4U: 60 LFF/SFF HDD)	24 (4U: 60 LFF/SFF HDD)

**Controller Tray Specifications**

<b>Height Width Depth</b>	2U, 3.5" (88mm) 19.0" (483mm) 32.0" (813mm)	2U, 3.5" (88mm) 19.0" (483mm) 32.0" (813mm)	4U, 6.9" (174mm) 19.0" (483mm) 31.8" (808mm)	4U, 6.9" (174mm) 19" (483mm) 31.8" (808mm)
<b>Max. Weight (VSP G350 and G370 includes weight with disks installed)</b>	24 SFF disks: 101 lbs. (46kg) 12 LFF disks: 101 lbs. (46kg)	24 SFF disks: 101 lbs. (46kg) 12 LFF disks: 101 lbs. (46kg)	165 lbs. (75kg)	165 lbs. (75kg)
<b>Internal Drive Slots</b>	12 LFF or 24 SFF	12 LFF or 24 SFF	0	0
<b>Host Interface Types</b>	FC: 32Gb/s FC: 16Gb/s iSCSI: 10Gb/s	FC: 32Gb/s FC: 16Gb/s iSCSI: 10Gb/s	FC: 32Gb/s FC: 16Gb/s iSCSI: 10Gb/s	FC: 32Gb/s FC: 16Gb/s iSCSI: 10Gb/s
<b>Fibre Bandwidth to Host</b>	51,200MB/s	51,200MB/s	204,800MB/s	256,000MB/s

Hitachi Virtual  
Storage Platform  
G350

Hitachi Virtual  
Storage Platform  
G370

Hitachi Virtual Storage  
Platform G700

Hitachi Virtual Storage  
Platform G900

### Controller Tray Specifications (continued)

<b>Back-End Disk Interface and Links</b>	8 x 12Gb/s SAS	8 x 12Gb/s SAS	32 x 12Gb/s SAS	64 x 12Gb/s SAS
<b>Max. Cache</b>	128GiB	256GiB	512GiB	1024GiB

### Software Specifications

<b>RAID Supported**</b>	RAID-1, RAID-5, RAID-6	RAID-1, RAID-5, RAID-6	RAID-1, RAID-5, RAID-6	RAID-1, RAID-5, RAID-6
<b>Data-at-Rest Encryption</b>	Yes	Yes	Yes	Yes
<b>Max. LUN Size</b>	256TB	256TB	256TB	256TB
<b>Max. Number of LUNs</b>	16,384	32,768	49,152	65,280
<b>Max. Number of Snapshots</b>	1,024 per LUN; 262,144 per system	1,024 per LUN; 524,288 per system	1,024 per LUN; 786,432 per system	1,024 per LUN; 1,048,575 per system
<b>Max. Number of Hosts per Fibre Channel Port</b>	255	255	255	255

**Notes:**

\* The Total Efficiency Guarantee of up to 7:1 for the VSP G350, G370, G700 and G900 models, when configured entirely with flash drives, covers savings from data de-duplication, compression, thin provisioning and snapshots.

\*\*RAID-1 selection mirrors blocks across two drives and then creates a striped set across multiple drive pairs. This is commonly referred to as RAID 1+0.

1MB = 1,000,000 bytes

1MiB = 1,048,576 bytes

SFF = small form factor, LFF = large form factor

SAS = serial attached SCSI, HDD = hard disk drive, SSD = solid state disk, FMD = flash module drive

FC = Fibre Channel, iSCSI = Internet Small Computer Systems Interface, FCoE = Fibre Channel over Ethernet, FICON = Fibre Connection

Hitachi Vantara

Corporate Headquarters

2535 Augustine Drive

Santa Clara, CA 95054 USA

[hitachivantara.com](http://hitachivantara.com) | [community.hitachivantara.com](http://community.hitachivantara.com)

Contact Information

USA: 1-800-446-0744

Global: 1-858-547-4526

[hitachivantara.com/contact](http://hitachivantara.com/contact)

HITACHI is a trademark or registered trademark of Hitachi, Ltd. VSP is a trademark or registered trademark of Hitachi Vantara LLC. All other trademarks, service marks, and company names are properties of their respective owners.

**LC-020-H BTD** July 2020

